

# INTERMETAL

CONTRACT FURNITURE MANUFACTURER

## STAGING SYSTEMS



Multi-Height

Lightweight

Durable

Mobile

# INTERMETAL STAGING SYSTEMS



Intermetal's Mobile, Multi-Height Centrefold Stages have been specifically designed with the user in mind. Available in a range of sizes, each is easy to maneuver, set-up and take down. Available in Single Height, Dual Height and 3 Tier Height Adjustable, performance and durability is guaranteed.

# EASY TO MOVE, HANDLE & OPERATE




Side View (46cm Folded)



Front View (Folded)



Unfolded Stage



One Person can Maneuver



Quick & Easy Operation



Constructed from Heavy Gauge Steel

# MULTI-HEIGHT OPTIONS

Intermetal's Multi-Height Stage options include Single Height, Dual Height and 3 Tier Height Adjustable.




3 Tier / Dual Height Adjustable




Single Height

Height Adjustment made easy.



Step 1



90cm, 75cm Height



Step 2



Step 3

Stage Type	Code	Size (cm)
Single Height	<b>ISS 40</b>	244L x 122W x 40H
	<b>ISS 40W</b>	244L x 183W x 40H
	<b>ISS 60</b>	244L x 122W x 60H
	<b>ISS 60W</b>	244L x 183W x 60H
	<b>ISS 80</b>	244L x 122W x 80H
	<b>ISS 80W</b>	244L x 183W x 80H
Dual Height Adjustable	<b>ISS 4060</b>	244L x 122W x 40-60H
	<b>ISS 4060W</b>	244L x 183W x 40-60H
	<b>ISS 6080</b>	244L x 122W x 60-80H
	<b>ISS 6080W</b>	244L x 183W x 60-80H
3 Tier Height Adjustable	<b>ISS 607590</b>	244L x 122W x 60-75-90H
	<b>ISS 607590W</b>	244L x 183W x 60-75-90H

# STAGE ACCESSORIES



Handrails



Guardrails



Skirting



Steps



Height Adjustable Ramp

	Code	Height (cm)	Width (cm)
Guardrails	ISS GRD122	96	122
	ISS GRD183	96	183

	Code	Dimensions (cm)		Application
		Height	Width	
Steps	ISS 2ST (2 Steps)	40	122	40/60 cm Height Stage
	ISS 3ST (3 Steps)	60	122	60/75/80 cm Height Stage
	ISS 4ST (4 Steps)	80	122	80/90 cm Height Stage


	Code	Dimensions (cm)	Incline
Ramps	ISS RMP4060 (Height Adjustable)	400L x 122W x 40H/60H	5.7°
	ISS RMP40 (Fixed Height)	400L x 122W x 40H	8.5°
	ISS RMP60 (Fixed Height)	400L x 122W x 60H	8.5°

# FEATURES

- Easy to move from storage to set-up location.
- Linking system allows multiple stages to be joined together.
- Velcro edging allows for easy placing of stage skirting.
- Multi-height options.
- Easy lock mechanism ensures safe mobility.
- Powder coated finish.
- Aluminium edge protects the stage top.
- Carpet, Parquet or PV Pad tops available.
- Heavy duty wheels.
- Guardrails provide protective barrier.
- Stage components painted in yellow for easy operation.
- Easy to configure.



Linking system allows multiple stages to be joined together



Velcro belt enables quick and easy skirt fixing



Safety lock secures stage in position while moving



All components painted in yellow for easy identification and operation



Linked Stage



Height Adjustable

# MOBILE MULTI-HEIGHT CENTREFOLD STAGING SYSTEMS



Linked stage with double step set-up





**Intermetal Ltd.**

P.O. Box 474039, Dubai, UAE.

Tel: +971 4 884 1650

Fax: +971 4 884 1934

E-mail: [sales@intermetal.com](mailto:sales@intermetal.com)

[www.intermetal.com](http://www.intermetal.com)

